

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE Sept. 10, 1996	3. REPORT TYPE AND DATES COVERED Technical Report # 35	
4. TITLE AND SUBTITLE Azo Polymers for Optical Storage. 13. Photoorientation of Rigid Side Groups Containing Two Azo Bonds			5. FUNDING NUMBERS N00014-93-1-0615	
6. AUTHOR(S) X. Meng, A. Natansohn and P. Rochon			8. PERFORMING ORGANIZATION REPORT NUMBER 35	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry Queen's University Kingston, Ontario K7L 3N6 Canada			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Department of the Navy Office of the Naval Research 800 North Quincy Street, Arlington, VA 22217-5000			11. SUPPLEMENTARY NOTES Polymer DTIC QUALITY INSPECTED 2	
12a. DISTRIBUTION / AVAILABILITY STATEMENT Reproduction in whole or in part is permitted for any purpose of the United States Government. This document has been approved for public release and sale; its distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Copolymers of methyl methacrylate with a methacrylate containing a rigid group with two azo bonds (3RM) were prepared and their photoinduced birefringence levels and rates were studied. Birefringence levels of 0.11 for the copolymer with 11.6 mol % azo structural units and 0.13 for the copolymer with 30.0 mol % azo structural units were found; this is higher than the birefringence inducible in typical azo homopolymer containing a chromophore with only one azo group; poly{4'-[(2-(acryloyloxy)ethyl) ethylamino]-4-nitroazobenzene} (poly(DR1A)). The birefringence per azo structural unit for a copolymer containing 11.6 mol % 3RM is about 5 times that for a DR1A copolymer with similar azo content, because of the intrinsic structural properties of 3RM (high length/diameter ratio). Dichroism in both UV and visible regions of the spectrum contribute to the overall photoinduced birefringence. The rate of inducing birefringence in the 3RM copolymers is lower than in poly (DR1A) and the birefringence stability (91-96% of the induced birefringence is maintained after the writing laser is off) is much better than that for poly(DR1A) (about 80%). The good stability and slow birefringence growth rate are due to the lesser mobility of the larger side group.				
14. SUBJECT TERMS Rigid group orientation, intrinsic birefringence, photoinduced birefringence, kinetics			15. NUMBER OF PAGES 28	
17. SECURITY CLASSIFICATION OF REPORT unclassified			16. PRICE CODE	
18. SECURITY CLASSIFICATION OF THIS PAGE unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT unclassified		20. LIMITATION OF ABSTRACT unlimited

19960924 086

**OFFICE OF NAVAL RESEARCH**

**GRANT: N00014-93-1-0615**

**R&T CODE: 3132081**

**Scientific Officer: Dr. Kenneth J. Wynne**

**TECHNICAL REPORT NO. 35**

**Azo Polymers for Optical Storage. 13. Photoorientation of Rigid Side Groups  
Containing Two Azo Bonds**

**by**

**X. Meng, A. Natansohn and P. Rochon**

**Submitted for publication  
in**

**Polymer**

**Department of Chemistry  
Queen's University  
Kingston, On., Canada**

**September 10, 1996**

**Reproduction in whole or in part is permitted for any purpose of the  
United States Government**

**This document has been approved for public release and sale;  
its distribution is unlimited.**

# **Azo Polymers for Reversible Optical Storage 13.**

## **Photoorientation of Rigid Side Groups Containing Two Azo Bonds**

**X. Meng<sup>1</sup>, A. Natansohn<sup>1\*</sup> and P. Rochon<sup>2</sup>**

<sup>1</sup>Department of Chemistry, Queen's University, Kingston, Ontario, K7L 3N6, Canada, and

<sup>2</sup>Department of Physics, Royal Military College, Kingston, Ontario, K7K 5L0, Canada

### **ABSTRACT**

Copolymers of methyl methacrylate with a methacrylate containing a rigid group with two azo bonds (3RM) were prepared and their photoinduced birefringence levels and rates were studied. Birefringence levels of 0.11 for the copolymer with 11.6 mol % azo structural units and 0.13 for the copolymer with 30.0 mol % azo structural units were found; this is higher than the birefringence inducible in a typical azo homopolymer containing a chromophore with only one azo group, poly{4'-[(2-(acryloyloxy)ethyl) ethylamino]-4-nitroazobenzene} (poly(DR1A)). The birefringence per azo structural unit for a copolymer containing 11.6 mol % 3RM is about 5 times that for a DR1A copolymer with similar azo content, because of the intrinsic structural properties of 3RM (high length/diameter ratio). Dichroism in both UV and visible regions of the spectrum

contribute to the overall photoinduced birefringence. The rate of inducing birefringence in the 3RM copolymers is lower than in poly(DR1A) and the birefringence stability (91-96% of the induced birefringence is maintained after the writing laser is off) is much better than that for poly(DR1A) (about 80%). The good stability and slow birefringence growth rate are due to the lesser mobility of the larger side group.

## INTRODUCTION

Polymers containing substituted azobenzene groups are being studied as optical storage materials<sup>1</sup>. For 'writing', anisotropy can be induced by the orientation of azobenzene groups when exposing a polymer film to a linearly polarized laser. The mechanism is based on the selective excitation of the azobenzene groups having a dipole component parallel to light polarization. They undergo a multitude of trans-cis-trans isomerization cycles accompanied by reorientation, thus increasing the concentration of azobenzene groups perpendicular to the polarization direction. This mechanism involves extensive motion of the side groups and of the main chain of the polymer below its glass transition temperature ( $T_g$ ). When an oriented spot in a polymer film is irradiated

by a circularly polarized laser, or heated above  $T_g$ , the anisotropy will be 'erased' back to the random state of the 'unwritten' area<sup>2-4</sup>.

Excited by a polarized laser, the trans-cis isomerization rate for an azobenzene molecules is proportional to the term  $I \cdot \cos^2(\phi)$ , where  $I$  is the laser beam intensity, and  $\phi$  is the angle between the azobenzene axis and the laser polarization direction<sup>2</sup>. When shining a linearly polarized laser on a polymer film, the azo groups which are not perpendicular to the laser polarization direction will undergo many trans-cis-trans isomerization cycles accompanied by reorientation until they fall in one of the directions (in a plane) perpendicular to the laser polarization direction at the end of one of the cis-trans isomerizations. All the azo groups in that plane will conserve their orientation, because they cannot be photo-reactivated when  $\cos^2(\phi)=0$ . The net result is an orientation distribution with an excess of azo groups in the direction perpendicular to the laser polarization. This orientation can be detected as birefringence by another laser beam. Most of the azo groups will not reach the plane perpendicular to the laser polarization. They will keep isomerizing between trans and cis forms during the laser irradiation and some will relax to a random distribution after the laser beam is turned off. This is one of the reasons for birefringence relaxation. Circularly polarized light activates

all azo groups in the plane of the film, thus it destroys the preferential orientation induced by the linearly polarized light.

The optical response of the polymer is mainly influenced by three structural factors: the polymer backbone, the structure of the azo chromophore and the linkage between the backbone and the azo chromophore. The type of polymer backbone dictates mostly the mechanical properties, such as the  $T_g$  of the polymer. The linkage between azo chromophore and the polymer backbone affects both the mechanical properties and the motion of the azo groups, thus their orientation. The structure of the azo chromophore determines properties such as the wavelength of maximum absorbance, the cis-trans thermal isomerization rate, the orientation ability as well as the order parameter. In some previous studies in our laboratory<sup>5</sup>, it was found that the rate of achieving birefringence and the level of induced birefringence depend on the type and the size of the azo groups.

The birefringence photoinduced by a linearly polarized laser at room temperature is mainly produced by the motion of the side chain groups. The rate of inducing birefringence can be described by a biexponential process where the fast process is usually associated with the side groups motion and the slow process is usually associated with the main chain motion<sup>5</sup>. As we reported recently<sup>1</sup>, the rate of birefringence growth for both of the fast motion and the slow motion decreases

when the operating temperature increases because of the thermal randomizing of the oriented azo groups. The decrease is more significant for the side groups motion, thus one could in principle achieve a higher birefringence level by reducing the side chain mobility.

Among all azo-containing polymers reported in literature, the polymer containing a rigid side group with two azo bonds between three benzene rings appears to be very interesting because was found to have larger order parameter<sup>6</sup>, and  $\chi^{(3)}$  in comparison to polymers containing azobenzene groups in the side chain<sup>7-9</sup>. A copolymer containing such a rigid group was also reported for potential second-order nonlinear optical applications<sup>10</sup>. Such a polymer film can be subjected to polarized light to photoinduce orientation of the chromophore, but the mechanism has to be more complex than in the polymers containing substituted azobenzene. The photoinduced trans-cis and cis-trans, and the thermal cis-trans isomerizations will take place in both azo groups. Consequently the alignment of the whole side group may take more time. On the other hand, the large conjugated structure in the chromophore with two azo groups may generate a larger birefringence per structural unit, because of the larger length/diameter ratio of the chromophore<sup>11-13</sup>. We report here the behaviour of a polymethacrylate bearing a chromophore with two azo groups between three benzene rings, poly{4-[[2-[(2-

methyl-1-oxo-2-propenyl)oxy]ethyl]ethylamino] - 4'-(4-nitrophenylazo)azobenzene - co - methyl methacrylate} (poly(3RM-co-MMA)) .

Comparison is made with poly{4'-[(2-acryloyloxy)ethyl]ethylamino]-4-nitroazobenzene} (poly(DR1A)) bearing a substituted azobenzene side group.

The structures of the two polymers are shown in Scheme 1.

## EXPERIMENTAL

N-ethyl-N-(2-hydroxyethyl) aniline and 4-amino-4'-nitroazobenzene (Disperse Orange 3) were purchased from Aldrich and were used without further purification. Methacryloyl chloride was purchased from Fluka and was distilled before use.

### 4-(N-ethyl-N-(2-hydroxyethyl)amino-4'-(4-nitrophenylazo)azobenzene

(3R): 4.8 g (0.020 mole) of Disperse Orange 3, 10 mL of concentrated hydrochloric acid and 25 mL of acetic acid were placed in a 100 mL beaker and cooled down in an ice-water bath. 1.4 g sodium nitrite in 8 mL water (kept in an ice-water bath) was then added dropwise to the above solution with stirring. The mixture was stirred at 0 - 5 °C for an hour. Added slowly to the mixture was 4 g (0.024 mole) of N-ethyl-N-(2-hydroxyethyl) aniline in 25 mL of acetic acid while the temperature was kept below 5 °C. After stirring for 10 hours a large amount of



a dark precipitate formed. The precipitate was collected by filtration and then washed with saturated sodium bicarbonate solution. The product was then dissolved in THF and passed through a silicagel column with a mixture of acetone and toluene as the eluent. The second fraction (purple) was collected. Purple crystals were obtained after the solvent was rotoevaporated, mp. 171 °C. <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>): 1.15 ppm (t, 3H, -CH<sub>3</sub>), 3.45 - 3.65 ppm (m, 6H, -CH<sub>2</sub>-), 4.82 ppm (t, 1H, HO-), 6.88 ppm (d, 2H, aromatic, ortho to the N), 7.80 ppm (d, 2H, on the benzene ring with amino group, ortho to -N=N-), 7.95 ppm (d, 2H, on the benzene ring in the middle), 8.15 ppm (d, 4H, on the benzene ring with nitro group, ortho to -N=N-), 8.45 ppm (d, 2H, aromatic, ortho to NO<sub>2</sub>).

4-[[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]ethylamino]-4'-(4-nitrophenylazo) azobenzene (3RM): 2g (0.0048 mole) of 3R and 7 mL triethylamine (0.05 mole) were dissolved in 700 mL anhydrous THF. The purple solution was placed in a ice-water bath for 30 minutes and then 2.4 mL (0.024 mole) of methacryloyl chloride in 20 mL THF was added slowly dropwise while stirring. The mixture was allowed to warm up to room temperature after addition and was stirred at room temperature overnight. The solvent was rotoevaporated and the solid residue was washed with saturated sodium carbonate solution followed by washing with water until the washing became neutral. 1.8 g of purple

crystals were obtained after recrystallizing the crude product from THF, mp. 198 °C. This compound has been previously reported but no characterization details were given<sup>7-9,14</sup>. <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>): 1.15 ppm (t, 3H, -CH<sub>2</sub>CH<sub>3</sub>), 1.83 ppm (s, 3H, H<sub>2</sub>C=C(CH<sub>3</sub>)CO<sub>2</sub>-), 3.55 ppm (m, 2H, -NCH<sub>2</sub>CH<sub>3</sub>), 3.76 ppm (t, 2H, -NCH<sub>2</sub>CH<sub>2</sub>O-), 4.30 ppm (t, 2H, -CH<sub>2</sub>O-), 5.68 ppm (s, 1H, H<sub>2</sub>C=C(CH<sub>3</sub>)CO<sub>2</sub>-, cis to -CH<sub>3</sub>), 6.02 ppm (s, 1H, H<sub>2</sub>C=C(CH<sub>3</sub>)CO<sub>2</sub>-, trans to -CH<sub>3</sub>), 6.95 ppm (d, 2H, aromatic, ortho to the N), 7.82 ppm (d, 2H, on the benzene ring with amino group, ortho to -N=N-), 7.98 ppm (d, 2H, on the benzene ring with nitro group, ortho to -N=N-), 8.12 ppm (d, 4H, on the benzene ring in the middle), 8.45 ppm (d, 2H, aromatic, ortho to NO<sub>2</sub>).

Polymerization Procedure The homopolymerization of 3RM and a few copolymerizations with methyl methacrylate (MMA) were carried out in 1,4-dioxane solution initiated with AIBN at 60 °C. The homopolymer of 3RM is not soluble in common solvents such as THF, DMF, DMSO, toluene or chloroform. It is slightly soluble in nitrobenzene. The copolymers of 3RM with MMA were purified by several reprecipitations from THF/methanol until there was no monomer left in the product. The copolymer was then dried in vacuum at 50 °C overnight. One sample with 11.6 mole % 3RM has a molecular weight of 6400. A <sup>1</sup>H-NMR spectrum of poly(3RM-co-MMA) is shown in Fig 1.

The films were prepared by spin-coating from THF solutions onto glass substrates and dried in vacuum at 100 °C for 20 hr. The film thickness was 100-200 nm measured by interferometry. The procedure for reversibly inducing birefringence with a laser beam on the polymer film was described previously<sup>3</sup>. Writing and erasing were performed using an argon laser (514 nm) of 4.6 mW intensity on a spot of 1 mm in diameter at room temperature. Thermal transitions were measured on a Mettler TA-30 DSC instrument equipped with a TA-3000 processor at the scan rate of 20 °C/min. Electronic spectra were recorded on a Shimadzu Spectrometer. The molecular weights of the polymers were estimated by gel permeation chromatography (GPC). A Waters Associates liquid chromatography equipped with a Model R401 differential refractometer and Model 440 absorbance detector. THF was used as the eluent. The solution <sup>1</sup>H-NMR spectra were obtained on a Bruker AC-F 200 NMR spectrometer.

## RESULTS AND DISCUSSION

### The polymers

Scheme 2 gives the synthesis route for the monomer 3RM. We were unable to make a film of poly(3RM) because of its poor solubility in common solvents. Copolymerizing 3RM with MMA at different monomer ratios gave copolymers soluble in THF. Two copolymers, P3RMM11 (with 11.6 mole % 3RM) and

P3RMM30 (with 30.0 mole % 3RM), were used in this study. The compositions of copolymers were obtained from  $^1\text{H}$ -NMR spectra, an example shown in figure 1 for P3RMM30. The copolymer composition is calculated from the ratio of aromatic and methoxy peaks areas.

Poly(3RM-co-MMA) films exhibit a maximum absorbance ( $\lambda_{\text{max}}$ ) at 490 nm shown as curve A in Figure 2. The occurrence of  $\lambda_{\text{max}}$  at longer wavelength for poly(3RM-co-MMA) in comparison with poly{4'-[(2-(acryloyloxy)ethyl)ethylamino]-4-nitroazobenzene-co-MMA} (poly(DR1A-co-MMA)) of a similar MMA content<sup>15</sup> is due to the larger conjugated system of the 3RM unit, which delocalizes the  $\pi$  electron and reduces the  $\pi$ - $\pi^*$  transition (from -N=N-) energy. It also can be seen in Fig 2 that the other absorption peak assigned to the  $\pi$ - $\pi^*$  transition (from the benzene ring) in the UV region appears at longer wavelength (about 330 nm) in comparison with the DR1A copolymer (about 280 nm). This has an effect on photoisomerization, hence on the photoinduced birefringence. Poly(3RM-co-MMA) films are amorphous as proven by polarized microscopy and DSC. The DSC curve of P3RMM11 shows a glass transition temperature at 113°C.

### **Structural factors affecting the photoinduced birefringence**

A typical writing-relaxation-erasing curve for a poly(3RM-co-MMA) is obtained when subjecting a polymer film to illumination with a 514 nm writing-erasing laser beam and using a 674 nm reading laser beam at room temperature. Such a curve for a P3RMM11 film is shown in Figure 3. The linearly polarized laser beam is turned on at point A and the birefringence is rapidly induced and reaches a saturated level. The birefringence relaxes at point B, where the writing beam is turned off, and reaches a stable level around point C. The induced birefringence is then completely eliminated by turning on the same laser, but circularly polarized, at point C, and the film is ready to be rewritten in the same manner. The saturated value of the photoinduced birefringence is about 0.11 and 0.13 for P3RMM11 (38.9 wt % azo monomer unit) and P3RMM30 (67.5 wt % azo monomer unit) respectively which are much higher than the maximum birefringence achieved in poly(DR1A-co-MMA) with same content (weight percent) of azo monomer unit ( $\sim 0.05$  and  $\sim 0.06$  respectively)<sup>15</sup>. This enhancement in birefringence can be explained by a combination of two factors:

*1. The high length/width ratio of the 3RM structural unit*

Birefringence is defined as the difference in refractive indexes as follows

$$\Delta n = n_{//} - n_{\perp} \quad (1)$$

where  $\Delta n$  is the birefringence and  $n_{//}$  and  $n_{\perp}$  are the apparent refractive indexes parallel and perpendicular to the direction of the orientation (perpendicular to the writing direction). The values of  $n_{//}$  and  $n_{\perp}$  reflect the polarizability of the molecular structure in the corresponding directions. As found in some liquid crystal polymer film doped with rod-like azo chromophores of different shapes, the higher the length/diameter ratios of the chromophore is, the higher the order parameter (as well as birefringence) will be<sup>11-13</sup>. As shown in Scheme 1, the azo chromophores in DR1A and 3RM have the same diameter but 3RM has a longer conjugated system along the chromophore axis than DR1A. The large conjugated system yields a higher length-diameter ratio in 3RM in comparison with DR1A. It thus appears reasonable that poly(3RM-co-MMA) generate larger birefringence value per chromophore than poly(DR1A-co-MMA) does.

To confirm the larger contribution to the birefringence of 3RM in comparison with DR1A, the photoinduced birefringence per azo chromophore was calculated by dividing the birefringence with the side group chromophore number density in the film. The birefringence per side group chromophore is  $1.9 \times 10^{-22}$  and  $1.2 \times 10^{-22}$  in P3RMM11 and P3RMM30, respectively. These values are almost one order of magnitude larger than those<sup>15</sup> found in poly(DR1A-co-MMA) for the same azo weight contents respectively; both are about  $4 \times 10^{-23}$ . The higher

birefringence per side group chromophore is probably the major reason for the higher birefringence induced in poly(3RM-co-MMA) films.

The polarized electronic spectra of poly(3RM-co-MMA) film shows the difference in absorbance in the directions perpendicular to the writing direction (B in Fig 2) and parallel to the writing direction (C in Fig 2). The spectrum A in Fig. 2 is the spectrum of an isotropic film. The dichroism is present in both the UV and visible regions. There appears to be no significant shape differences between the three spectra, indicating that the source of dichroism is mostly the reorientation of the trans/trans azo molecule. The birefringence,  $\Delta n(\omega)$ , at 674 nm can be calculated using the Kramers-Kronig transformation<sup>16,17</sup>:

$$\Delta n(\omega) = \frac{c}{\pi} P \int_0^{\infty} \frac{\Delta \alpha(\omega')}{\omega'^2 - \omega^2} d\omega' \quad (2)$$

where  $\Delta \alpha(\omega')$  is the dichroism,  $P$  is the principal value of the integral,  $\omega$  is the measurement frequency,  $c$  is the speed of light, and  $\omega'$  represents the whole spectrum. The calculated birefringence for P3RMM11 is 0.10 while the measured birefringence is 0.11. It is clear that both the UV and the visible regions contribute to the overall birefringence and this is different from poly(DR1A)<sup>16</sup>.

## 2. Steric hindrances in photoisomerization and in thermal randomization

Two azo bonds have to photoisomerize in order to produce any motion of the chromophore with respect to its initial orientation. If just one of the azo bonds

is photoisomerized to its cis configuration, the probability of returning to a trans configuration in the same position is overwhelmingly high. Thus, while the illumination is on, the process of orientation perpendicular to the light polarization should be much slower, since it should require many more cycles of trans-cis-trans photoisomerization. However, as the illumination is terminated after a certain saturation state is achieved, it should be equally difficult to achieve randomization, based on the fact that - again - two thermal cis-trans isomerizations should be taking place within the same molecule in order to move the 3RM structural unit. These 3RM structural units are more difficult to move around from a random to a organized distribution **and** more difficult to move from an oriented state to a random distribution.

The saturated level of birefringence is the result of a combination of two processes: photoselection, which increases birefringence, and thermal randomization, which decreases its level. These two processes reach an equilibrium state while illumination is on, and the preponderance of one or the other is determining the saturated level<sup>1</sup>. The birefringence level is lower when the possibility for the azo chromophore to move around is great, for example in amorphous polymers doped with various azo chromophores. It is also known that the laser-induced birefringence in a poly(DR1A) film dramatically drops when the



operating temperature increases<sup>1</sup>. The 3RM copolymer films show a higher birefringence level in comparison with copolymers of DR1A having the same azo weight content, which reflects the decreased mobility of the chromophore containing the two azo bonds in comparison to the chromophore containing only one azo bond..

Another factor that has to be considered is the *dipolar interaction between the 3RM groups*. The neighbouring dipoles in the side chain of an azo polymer are oriented preferentially antiparallel to each other and the electric field of the neighboring dipoles reduces the mobility of the azo groups<sup>15</sup>. This neighboring dipolar effect depends on the azo content of the copolymer and is more significant when more dipoles are present (i.e., at higher azo concentrations). The birefringence per azo chromophore induced in P3RMM30 film is lower than in P3RMM11, but the total birefringence of P3RMM30 film is higher. The fact that there is a higher probability of dipolar interaction in P3RMM30 than in P3RMM11 (given by the number of the available dipoles) probably plays a role in this increase of the saturated level of birefringence.

### **Birefringence growth and relaxation rates**

A biexponential curve fitting was used for birefringence growth (points A to B in Figure 3, Equation (3)) and birefringence relaxation (points B to C in Figure 3, Equation (4)) as follows<sup>5</sup>:

$$\Delta n = A \cdot \{1 - \exp(-k_a \cdot t)\} + B \cdot \{1 - \exp(-k_b \cdot t)\} \quad (3)$$

where  $\Delta n$  represents the birefringence achieved at time  $t$ ,  $k_a$  and  $k_b$  are the time constants for birefringence growth, and  $A$  and  $B$  are constants. The sum of  $A$  and  $B$  represents the maximum induced birefringence, and the normalized  $A$  ( $A_n = A/(A+B)$ ), and  $B$  ( $B_n = B/(A+B)$ ) represent the contribution of each of the two terms to the induced birefringence. The fitting parameters for birefringence growth are listed with the corresponding saturation birefringence levels in Table 1. The two processes are generally associated with photoisomerization and motion of the azo groups (the fast process) and with coupled motions of the side groups and the main chain (the slow process)<sup>5</sup>.

$$\Delta n_r = C \cdot \exp(-k_c \cdot t) + D \cdot \exp(-k_d \cdot t) + E \quad (4)$$

In Equation (4)  $\Delta n_r$  is the relaxed birefringence at time  $t$  after turning off the writing laser,  $k_c$  and  $k_d$  represent the time constants of the birefringence relaxation for the two kinds of motion (assigned as above - the fast one is related to the thermal cis-trans isomerization and various motions of the azo groups, and the slow one is related to coupled motions of the azo groups and the main chain),  $C$

and D are the constants related to the contribution of the two motions to the birefringence relaxation and E is the final birefringence independent on time. The sum of normalized C and D ( $C_n$  and  $D_n$  respectively) describes the fraction of birefringence lost and the normalized E ( $E_n$ ) represents the fraction of infinitely stable birefringence. The birefringence relaxation curve fitting results are listed in Table 2. These results are compared with those for poly(DR1A) obtained in similar conditions. The fitting parameters for poly(DR1A) are also listed in Table 1 and Table 2.

The writing rate constants for poly(3RM-co-MMA) in Table 1 are smaller than poly(DR1A). Both  $k_a$  and  $k_b$  for the 3RM copolymers are more than one order of magnitude smaller than the same parameters for poly(DR1A). This is related to the larger size of 3RM, requiring more free volume in order to align in a certain direction, but - more importantly - the requirement of concordant photoisomerization of the two azo bonds in the same structural units (discussed above) means that more trans-cis-trans cycles are necessary in order to provide the same kind of side group mobility. This means that the whole process will take longer when 3RM groups are involved, as shown by the time constants. It is also interesting that the contribution of the slow process ( $B_n$ ) in poly(3RM-co-MMA) is more significant than in poly(DR1A). This suggests that coupled motions between

the side groups and the main chain are more important when the side group is larger.

Also, as discussed previously and as expected, the stability of the induced birefringence for poly(3RM-co-MMA) is higher than for poly(DR1A) ( $E_n$  in Table 2). P3RMM30 shows the highest  $E_n$  reported in amorphous polymers from this laboratory and elsewhere. It is also clear that the birefringence relaxation rates of poly(3RM-co-MMA) are lower than those of poly(DR1A). All of these can be attributed to the lesser mobility of the large conjugated azo side group.

## CONCLUSIONS

Copolymers with side chains containing two azo bonds in one chromophore exhibit an enhancement in both photoinduced birefringence level and the stability in comparison to similar homo-and copolymers containing just one azo bond. The high length/width ratio of the chromophore and the steric effects of the side chain motion are given as an explanation for the high birefringence level. The lesser mobility of the side chain groups produces the good stability of the induced orientation. This system would be ideal as a material for photonics, except that its very limited solubility severely restricts its potential utilization.

## **Acknowledgment**

We thank the Office of Naval Research (U.S.), NSERC Canada and the Department of National Defence Canada for funding. A. N. thanks Canada Council for a Killam Research Fellowship.

## REFERENCES

1. Last published paper in this series: Meng, X., Natansohn, A. and Rochon, P., *J. Polym. Sci., Part B: Polym Phys. Ed.*, **1996**, *34*, 1461.
2. Natansohn, A.; Xie, S. and Rochon, P., *Macromolecules*, **1992**, *25*, 5531.
3. Natansohn, A.; Rochon, P.; Gosselin, J. and Xie, S., *Macromolecules*, **1992**, *25*, 2268.
4. Natansohn, A.; Rochon, P.; Pézolet, M.; Audet, P.; Brown, D. and To, S., *Macromolecules*, **1994**, *27*, 2580.
5. Ho, M. S.; Natansohn, A. and Rochon, P., *Macromolecules*, **1995**, *28*, 6124; Ho, M. S.; Natansohn, A.; Barrett, C. and Rochon, P., *Can. J. Chem.*, **1995**, *73*, 1773.
6. Jones, F. and Reeve, T. J., *Mol. Cryst. Liq. Cryst.*, **1980**, *60*, 99.
7. Amato, M.; Kaino, T. and Matsumoto, S., *Chem. Phys. Lett.* **1990**, *170*, 515.
8. Kaino, T. and Tomaru, S., *Adv. Mater.* **1992**, *4*, 172.
9. Buckley, A., *Adv. Mater.* **1992**, *4*, 153.
10. Ahlheim, M. and Lehr, F., *Macromol. Chem. Phys.*, **1995**, *196*, 243.
11. Seki, H.; Shishido, C.; Yasui, S. and Uchida, T., *Jpn. J. Appl. Phys.* **1982**, *21*, 191.
12. Seki, H.; Uchida, T. and Shibata, Y., *Mol. Cryst. Liq. Cryst.*, **1986**, *138*, 349.

13. Lackner, A. M.; Sherman, E.; Wong, S. Y. and Wong, S. M., *Mol. Cryst. Liq. Cryst.*, **1993**, *14*, 763.
14. Eckl, M.; Müller, H.; Strohmriegl, P.; Beckmann, S.; Eitzbach, K. H.; Eich, M. and Vydra, J., *Macromol. Chem. Phys.*, **1995**, *196*, 315.
15. Brown, D.; Natansohn, A. and Rochon, P., *Macromolecules*, **1995**, *28*, 6116.
16. Rochon, P.; Bissonnette, D.; Natansohn, A. and Xie, S., *Appl. Opt.*, **1993**, *32*, 7277.
17. Nomura, S.; Tobayashi, T.; Nakanishi, H.; Matsuda, H.; Okada, S. and Tomiyama, H., *Proc. SPIE*, **1991**, *1560*, 272.

Table 1 Birefringence growth rates and normalized constants for Equation ( 3 )

	P3RMM11	P3RMM30	poly(DR1A)
$k_a, s^{-1}$	$0.21 \pm 0.02$	$0.12 \pm 0.02$	$4.1 \pm 0.1$
$k_b, s^{-1}$	$0.08 \pm 0.01$	$0.021 \pm 0.002$	$0.22 \pm 0.03$
$A_n^*$	$0.62 \pm 0.02$	$0.68 \pm 0.02$	$0.85 \pm 0.01$
$B_n^*$	$0.38 \pm 0.02$	$0.32 \pm 0.02$	$0.15 \pm 0.01$
correl. coeff.	0.99	0.99	0.99

\*  $A_n = A/(A + B)$ ;  $B_n = B/(A + B)$ ;



Table 2 Relaxation rates and normalized constants for Equation ( 4 )

	P3RMM11	P3RMM30	poly(DR1A)
$k_c, s^{-1}$	$0.94 \pm 0.08$	$0.41 \pm 0.01$	$1.5 \pm 0.2$
$k_d, s^{-1}$	$0.044 \pm 0.005$	$0.003 \pm 0.001$	$0.07 \pm 0.01$
$C_n^*$	$0.037 \pm 0.003$	$0.014 \pm 0.002$	$0.11 \pm 0.01$
$D_n^*$	$0.056 \pm 0.005$	$0.025 \pm 0.005$	$0.11 \pm 0.01$
$E_n^*$	$0.91 \pm 0.01$	$0.96 \pm 0.01$	$0.78 \pm 0.01$
correl. coeff.	0.99	0.97	0.99

\*  $C_n = C/(C + D + E)$ ;  $D_n = D/(C + D + E)$ ;  $E_n = E/(C + D + E)$

## Figure captions

Figure 1.

$^1\text{H}$ -NMR spectrum of poly(3RM-co-MMA), P3RMM30, in  $\text{DMSO-d}_6$  at room temperature. The assignments are given on the spectrum


Figure 2.

Electronic spectrum of poly(3RM-co-MMA) film with polarized light, Sample: P3RMM11 of 170 nm thickness for the film as cast(A), and the film after being subjected to polarized laser light recorded perpendicular (B) and parallel (C) to the polarization direction.


Figure 3.

Writing-erasing curve of poly(3RM-co-MMA) film, sample: P3RMM11.



At point A the linearly polarized laser (writing beam) is turned on; at point B the writing beam is turned off; at point C the circularly polarized laser (erasing beam) is turned on.



poly(3RM-co-MMA)




poly(DR1A)



Scheme 1

1 Monomer - Polymer



Scheme 2

4-aminoazobenzene-2-nitro

1000 1000 1000

